

Figure 1a. Stress-strain curves of $100(GA_{50}LA_{25}CL_{25})_{2565}$ (entry 8, Table 2) with random monomer distribution and $50(GA_{50}CL_{50})_{2000}$-$50(LA)_{4000}$ (entry 2, Table 2) with controlled monomer distribution. For exact monomer composition, see Table 2



Figure 1b. Stress-strain curves of $100(GA_{50}LA_{25}CL_{25})_{2060}$ (entry 7, Table 2) with random monomer distribution and $50(GA_{50}LA_{50})_{2000} - 50(GA_{50}CL_{50})_{2000}$ (entry 5, Table 2) with controlled monomer distribution. For exact monomer composition, see Table 2.



Figure 2: Mass loss characteristics of $30(GA_{50}CL_{50}\ PEG600)_{1200}$-$70(LA)_{4000}$ (entry 9, Table 2), $50(GA_{50}CL_{50})_{2000}$-$50(LA)_{4000}$ (entry 2, Table 2) and $50(GA_{50}CL_{50})_{2000}$-$50(GA_{50}LA_{50})_{2000}$ (entry 5, Table 2) urethane-linked multi-block co-polymers.



Figure 3a: Water uptake characteristics of $(GA_{50}CL_{50}\ PEG600)_{1200}$-$(LA)_{4000}$ urethane-linked multi-block co-polyesters with total PEG content of 15% (solid symbols; entry 9, Table 2) and 25% (open symbols; entry 10, Table 2).



Figure 3b: Mass loss characteristics of $(GA_{50}CL_{50}\ PEG600)_{1200}$-$(LA)_{4000}$ urethane-linked multi-block co-polyesters with total PEG content of 15% (solid symbols; entry 9, Table 2)) and 25% (open symbols; entry 10, Table 2).



Figure 4 Cumulative release of progesterone from $50(GA_{50}CL_{50})_{2000}$-$50(LA_{4000})$ films



Figure 5. Cumulative release of leuprolide acetate from a urethane-linked $50(GA_{50}CL_{50})_{2000}$-$50(LA)_{4000}$ multi-block copolymer (drug load 20% w/w, film thickness 100 micron, sample weight 50-55 mg).



Figure 6 Effect of composition on cumulative release of FITC-dextran from urethane-linked $50(GA_{50}CL_{50})_{2000}$-$50(LA_{4000})$ and[$50(GA_{50}CL)_{2000}$-$50(LA_{50}GA_{50})_{2000}$] multi-block copolyester films (drug load 12 and 20% w/w respectively, film thickness ~80 mm, sample weight 50-55 mg).